

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Martin S. Scolaro et al.  
Title: METHOD AND APPARATUS  
FOR LAMP HEAT CONTROL

Seyfarth Shaw LLP  
Docket No.: 459900

INFORMATION DISCLOSURE STATEMENT


Commissioner for Patents  
P.O. Box 1410  
Alexandria, VA 22313-1410

Sir:

Applicants' undersigned attorneys, who prepared the above-identified application, are aware of the references listed on the attached Form PTO/SB/08A, copies of which are enclosed herewith, and which may be relevant to said application.

Respectfully submitted,

Seyfarth Shaw  
Attorneys for Assignee  
Suite 4200  
55 East Monroe Street  
Chicago, Illinois 60603-5803  
312-346-8000

By 

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Sheet

1

of

1

**Complete if Known**

Application Number

Filing Date

First Named Inventor

Martin S. Scolaro

Art Unit

Examiner Name

Attorney Docket Number

459900

**U. S. PATENT DOCUMENTS**

Examiner Initials*	Cite No. <sup>1</sup>	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code <sup>2</sup> (if known)			
		US- 3,697,863	10/10/1972	Kilner	
		US- 3,846,674	11/05/1974	McNulty	
		US- 4,682,084	07/21/1987	Kuhnel et al.	
		US- 4,686,428	08/11/1987	Kuhnel et al.	
		US- 4,713,721	12/15/1987	Pelonis	
		US- 5,748,428	05/05/1998	Kelley et al.	
		US- 5,801,490	09/01/1998	Fai	
		US- 5,859,503	01/12/1999	Potrasz	
		US- 6,201,357	03/13/2001	Seiler et al.	
		US- 6,259,215	07/10/2001	Roman	
		US- 6,504,315	01/07/2003	Kim	
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			

**FOREIGN PATENT DOCUMENTS**

Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T <sup>6</sup>
		Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>5</sup> (if known)				

Examiner  
SignatureDate  
Considered

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.